DOI: http://dx.doi.org/10.18203/2320-1770.ijrcog20172332

Original Research Article

Evaluation of transverse cerebellar diameter to abdominal circumference ratio in prediction of intrauterine growth retardation

Saroj Mourya^{1*}, Harish K. Mourya², Mohan Makwana², Hanslata Gahlot¹, Suresh Verma², Seema Sharma¹

¹Department of Obstetrics and Gynecology, ²Department of Paediatrics, Dr. S.N. Medical College, Jodhpur, Rajasthan, India

Received: 25 March 2017 Revised: 03 April 2017 Accepted: 22 April 2017

*Correspondence: Dr. Saroj Mourya,

E-mail: drsarojmourya@gmail.com

Copyright: © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT

Background: Intrauterine growth restriction accounts for a significant increase in perinatal mortality rate as well as immediate neonatal morbidity and continuing long term disability in some of the survivors. A different clinical problem develops in infants of same weight but different gestational age therefore identification of high risk newborns based on gestational age and weight. Hence without an accurate knowledge of gestational age, the clinician is significant hampered in an attempt to differentiate truly growth restricted fetus from a patient with incorrect gestational parameters. TCD is emerging as a new sonografic parameter and least affected by fetal growth restriction while liver is most affected organ.

Methods: The patients were sonographically examined for TCD/AC ratio. The best cut-off value of TCD/AC ratio in predicting IUGR was determined by a receiver operating characteristic (ROC) curve. The fetus with a TCD/AC ratio greater than the cut-off value would be antenatally diagnosed as IUGR for every gestational week. Standard definition of IUGR was a low birth weight, less than the 10th percentile.

Results: Eighty pregnancies with suspected IUGR were analyzed. The prevalence of IUGR among the study group was 51.5%. The best cut-off value of the TCD/AC ratio for predicting IUGR was 15.87%, giving the sensitivity, specificity, positive predictive value and negative predictive value of 81.25%, 62.25%, 89.65%, and 45.45%, respectively.

Conclusions: The sonographic fetal TCD/AC ratio as a gestational age-independent, useful, feasible and sensitive method for antenatal diagnosis of IUGR, especially in pregnancy with uncertain gestational age. Routine TCD/AC ratio should be performed to diagnose IUGR.

Keywords: Abdominal circumference, Fetal transverse cerebellar diameter, Intra uterine growth restriction

INTRODUCTION

Intrauterine growth restriction accounts for a significant increase in perinatal mortality rate as well as immediate neonatal morbidity and continuing long term disability in some of the survivors.¹ A different clinical problem develops in infants of same weight but different

gestational age therefore identification of high risk newborns based on gestational age and weight. Hence without an accurate knowledge of gestational age, the clinician is significant hampered in an attempt to differentiate truly growth restricted fetus from a patient with incorrect gestational parameters. TCD is emerging as a new sonografic parameter and least affected by fetal growth restriction while liver is most affected organ.²

TCD is claimed to be more equivalent in certain situations like extremes of growth abnormalities and variations of fetal head shape such as dolicocephaly and brachycephaly.³⁻⁵ Therefore, it would seem reasonable to investigate any relationship between TCD and AC as a predictor of fetal growth abnormalities.

METHODS

This case control study was conducted at department of Obstetrics and Gynaecology, Mahila Chikitsalaya, SMS Medical College, Jaipur for a period of one year. Total 80 pregnant women in 3rd trimester was selected and divided in two groups

- Group A was control group consisted of 40 cases with normal singleton pregnancy
- Group B was study group consisted of 40 cases with clinical suspicion of IUGR.

A discrepancy of 4 weeks in period of gestation and clinical examination was taken as evidence of IUGR. Period of gestation determined by either LMP or USG of < 20 weeks if available. Multiple gestation and poly hydramnios are excluded from the study. In all cases, fundal height was measured in centimetres after that all patients underwent ultrasonography. TCD and AC was measured along with other parameters. TCD/AC*100 ratio was calculated for all cases.

TCD/AC ratio of study group was compared with mean TCD/AC*100 ratio of control group in accordance to gestation age. When it was two standard deviation (SD) above the mean it was taken as ultrasonographically IUGR case and is confirmed by post natal newborn assessment by expanded new Ballard score. New born weight was compared with weight normogram given by Meharban Singh. If it was <10th percentile for gestation age, it was diagnosed as a case of true IUGR.

RESULTS

Total no of 80 cases were studied. TCD/AC ratio was measured in all cases. TCD/AC ratio in control group with their mean TCD/AC ratio and mean ±SD according to gestational age (Table 1).

Mean of the mean TCD/AC ratio was 14.220 and mean SD was 0.455. So, predictive value of TCD/AC ratio was 15.230 (Table 2).

TCD/AC ratio of all cases in study group was compared with mean TCD/AC ratio of control group according to gestational age and where it was >2SD above the mean TCD/AC ratio of control group, it was taken as ultrasonically IUGR case (Table 3).

Then result was compared with post-delivery examination.

Table 1: TCD/AC ratio in control group according to gestational age.

				EGD // G		3.6
GA	TCD	AC	TCD/AC	TCD/AC	SD	Mean + 2SD
32	38	265	14.3	mean 13.80	0.396	14.590
32	38	280	13.5	13.60	0.370	14.330
	36	270	13.3			
	38	270	14.07			
33	42	280	15.0	14.53	0.378	15.280
33	40	275	14.54	14.55	0.570	13.200
	38	270	14.07			
34	40	280	14.28	14.52	0.240	15.000
34	42	285	14.7	14.52	0.240	13.000
	43	290	14.82			
	40	280	14.28			
35	45	300	15	15.26	0.197	15.650
	46	300	15.3	10.20	0.177	10.000
	48	310	15.48			
36	42	316	13.29	14.16	0.777	15.716
	40.7	313	13.0	11110	01777	101,710
	44	312	14.1			
	41	276	14.8			
	45	300	15.0			
	41	276	14.8			
37	42	298	14.0	13.53	0.814	15.158
	46.2	321	12.12			
	42	299	14.0			
	42	298	14.0			
38	46	324	14.1	14.25	0.488	15.227
	41	305	13.4			
	42	383	14.84			
	46	310	14.8			
	45	320	14.06			
	46	320	14.3			
39	46	325	14.15	14.15		
40	43	351	12.25	13.82	0.811	15.440
	41.8	318	13.14			
	43	330	13.9			
	45	326	13.8			
	46	335	13.7			
	48	325	14.7			
	50	325	15.3			
	43	330	13.9			
	46	325	13.7			

Table 2: Relationship of TCD/AC Ratio and gestational age in control group

Weeks of gestation	No. of cases	Range of TCD/AC (%)	Mean±SD
32	4	13.33-14.30	13.80±0.396
33	3	14.07-15.00	14.53±0.378
34	4	14.28-14.82	14.52±0.240
35	3	15.00-15.48	15.26±0.197
36	6	13.00-15.00	14.16±0.777
37	4	12.12-14.00	13.53±0.814
38	6	13.40-14.84	14.25±0.488
39	1	14.15	-
40	9	12.25-15.30	13.82±0.811
Total	40		14.220±0.445

Out of 40 cases in study group 29 were diagnosed as IUGR by USG three false positive cases (Table 4). Out of 40 cases in study group 32 were true IUGR postnatally

and 6 were missed by USG. According to this study sensitivity of this method is 81.25% and positive predictive value is 89.65% (Table 5).

Table 3: Relationship of TCD/AC Ratio and gestational age in study group.

33	Gestational age	No. of cases	TCD/AC Ratio	Cases with TCD/AC % >2SD	True SGA	AGA
34 3 16.370 SGA SGA SGA 15.139 SGA SGA SGA 13.30 AGA SGA 35 0 - - - 36 4 16.37 SGA SGA 15.50 AGA AGA 15.59 SGA SGA 37 3 16.43 SGA SGA 38 9 14.63 AGA AGA 14.93 SGA SGA 38 9 14.63 AGA AGA 17.10 AGA AGA 17.10 AGA AGA 17.17 SGA SGA 38 9 14.63 AGA AGA 17.19 SGA SGA 17.10 AGA SGA 15.50 SGA SGA 15.70 SGA SGA 39 3 16.00 SGA SGA 39 3 16.00 SGA SGA 39 3 16.00 SGA SGA 16.53 SGA SGA 16.53 SGA SGA 16.54 SGA SGA 16.55 SGA SGA 16.57 SGA SGA 16.58 SGA SGA 15.30 SGA SGA 16.78 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.15 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.11 SGA SGA 16.12 SGA SGA 16.13 SGA SGA 16.14 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.10 SGA SGA 16.11 SGA SGA 16.12 SGA SGA 16.13 SGA SGA 16.14 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.11 SGA SGA 16.12 SGA SGA 16.13 SGA SGA 16.42 SGA SGA 16.42 SGA SGA 16.44 SGA SGA 16.46 AGA SGA 16.46 AGA SGA 16.46 AGA SGA 16.47 SGA SGA 16.48 AGA AGA 17.10 SGA SGA 18.40 SGA	32	1	14.678	SGA	SGA	
15.139 SGA SGA SGA 13.20 AGA SGA 35 0	33	0	-	-	-	-
13.30 AGA SGA 35	34	3	16.370	SGA	SGA	
35			15.139	SGA		
36			13.30	AGA	SGA	
15.50	35	0	-	-	-	
13.60	36	4	16.37	SGA	SGA	
15.59 SGA SGA SGA 37 3 16.43 SGA SGA 17.17 SGA SGA 14.93 SGA SGA 38 9 14.63 AGA AGA 14.16 AGA AGA 17.10 AGA SGA 15.50 SGA SGA 15.70 SGA SGA 15.90 SGA SGA 39 3 16.00 SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 40 17 17.00 SGA SGA 16.78 SGA SGA 16.78 SGA SGA 15.70 SGA SGA 16.78 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 15.70 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 15.70 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.10 SGA SGA 16.11 SGA SGA 16.12 SGA SGA 16.13 SGA SGA 16.14 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.42 SGA SGA 16.40 AGA SGA 14.60 AGA SGA 15.86 SGA SGA 16.87 SGA			15.50	AGA		AGA
37 3 16.43 SGA SGA SGA 17.17 SGA SGA 14.93 SGA SGA 38 9 14.63 AGA AGA 14.16 AGA AGA AGA 17.00 AGA SGA 15.50 SGA SGA 15.50 SGA SGA 15.70 SGA SGA 16.53 SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 15.33 SGA SGA 16.92 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA 16.78 SGA SGA 15.90 SGA SGA 16.78 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 14.68 AGA SGA 14.60 AGA SGA 15.86 SGA SGA SGA SGA 14.60 AGA SGA SGA SGA SGA SGA SGA 14.60 AGA SGA SGA SGA SGA SGA SGA 14.60 AGA SGA SGA SGA SGA 14.60 AGA SGA SGA SGA SGA 14.60 AGA SGA SGA 15.86 SGA SGA SGA SGA SGA 15.86 SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA				AGA		AGA
17.17 SGA SGA 14.93 SGA SGA 38 9 14.63 AGA AGA 14.16 AGA AGA 17.00 AGA SGA 17.17 SGA SGA 15.50 SGA SGA 15.70 SGA SGA 15.90 SGA SGA 16.53 SGA SGA 16.53 SGA SGA 16.53 SGA SGA 16.92 SGA SGA 15.33 SGA SGA 15.33 SGA SGA 15.34 SGA SGA 15.70 SGA SGA 15.70 SGA SGA 16.78 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.42 SGA SGA 14.68 AGA SGA 14.60 AGA SGA 15.86 SGA SGA 16.87 TOTAL TOT			15.59	SGA	SGA	
14.93 SGA SGA 38 9 14.63 AGA AGA 14.16 AGA AGA 17.00 AGA SGA 17.17 SGA SGA 15.50 SGA SGA 15.70 SGA SGA 15.90 SGA SGA 16.53 SGA SGA 16.53 SGA SGA 16.92 SGA SGA 15.33 SGA SGA 15.33 SGA SGA 16.92 SGA SGA 15.34 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.07 SGA SGA 16.07 SGA SGA 16.08 AGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA 16.87 SGA SGA 18.87 SGA SGA 18.87 SGA SGA 18.87 SGA	37	3	16.43	SGA	SGA	
38 9 14.63 AGA AGA 14.16 AGA AGA AGA 17.00 AGA SGA 17.17 SGA SGA 15.50 SGA AGA 15.70 SGA SGA 15.90 SGA SGA 15.90 SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 40 17 17.00 SGA SGA 40 17 17.00 SGA SGA 16.78 SGA SGA 15.90 SGA SGA 15.90 SGA SGA 15.70 SGA SGA 15.70 <td></td> <th></th> <td>17.17</td> <td>SGA</td> <td>SGA</td> <td></td>			17.17	SGA	SGA	
14.16			14.93	SGA	SGA	
17.00	38	9	14.63	AGA		AGA
17.17 SGA SGA AGA 15.50 SGA SGA AGA 15.70 SGA SGA 15.70 SGA SGA 15.90 SGA SGA 17.30 SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 16.92 SGA SGA 15.33 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA 15.70 SGA SGA 15.70 SGA SGA 15.54 SGA SGA 15.70 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.19 SGA SGA 16.10 SGA SGA 16.11 SGA SGA 16.12 SGA SGA 16.13 SGA SGA 16.14 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.42 SGA SGA 16.42 SGA SGA 16.44 SGA SGA 16.45 SGA SGA 16.46 AGA SGA 16.47 SGA SGA 16.48 AGA SGA 16.49 SGA SGA 16.40 AGA SGA 15.86 SGA SGA 15.86 SGA SGA 15.86 SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA			14.16	AGA		AGA
15.50 SGA SGA SGA 15.70 SGA SGA SGA 15.90 SGA SGA SGA 17.30 SGA SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 16.92 SGA SGA 15.33 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA 16.78 SGA SGA 15.90 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.10 SGA SGA 16.11 SGA SGA 16.12 SGA SGA 16.13 SGA SGA 16.14 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.42 SGA SGA 16.42 SGA SGA 16.44 SGA SGA 16.45 SGA SGA 16.66 SGA SGA 16.67 SGA SGA 16.68 AGA SGA 16.69 SGA SGA 16.60 AGA SGA 16.60 AGA SGA 15.86 SGA SGA 15.86 SGA SGA 15.86 SGA SGA 15.86 SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA SGA S			17.00	AGA	SGA	
15.70 SGA SGA SGA 15.90 SGA SGA 17.30 SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 16.92 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA 15.38 SGA SGA 16.78 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.107 SGA SGA 16.07 SGA SGA 16.07 SGA SGA 16.08 AGA SGA 14.68 AGA SGA 14.60 AGA SGA 15.86 SGA SGA 16.87 SGA			17.17	SGA	SGA	
15.90 SGA SGA 17.30 SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 15.33 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA 15.90 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.16 SGA SGA 16.17 SGA SGA 16.18 SGA SGA 16.19 SGA SGA 16.10 SGA SGA 16.42 SGA SGA 16.42 SGA SGA 14.68 AGA SGA 14.68 AGA SGA 15.86 SGA SGA 15.86 SGA SGA SGA SGA SGA SGA SGA SGA SGA			15.50	SGA		AGA
17.30 SGA SGA 16.53 SGA SGA 39 3 16.00 SGA SGA 16.92 SGA SGA 15.33 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA SGA 16.78 SGA SGA SGA 15.90 SGA SGA AGA 15.70 SGA SGA AGA 15.70 SGA SGA AGA 15.70 SGA SGA SGA 15.70 SGA SGA SGA 16.15 SGA SGA SGA 15.70 SGA SGA SGA 16.07 SGA SGA SGA 16.42 SGA SGA SGA 14.68 AGA AGA AGA 14.60 AGA SGA SGA 15.86 SGA SGA SGA			15.70	SGA	SGA	
16.53 SGA SGA 39 3 16.00 SGA SGA 16.92 SGA SGA 15.33 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA 16.78 SGA SGA 15.90 SGA SGA 15.70 SGA SGA 15.70 SGA SGA 15.54 SGA AGA 15.70 SGA SGA 15.70 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			15.90	SGA	SGA	
39 3 16.00 SGA SGA 16.92 SGA SGA 15.33 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA 16.78 SGA SGA 15.90 SGA SGA 15.70 SGA SGA 15.70 SGA SGA 15.54 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			17.30	SGA	SGA	
16.92 SGA SGA 15.33 SGA SGA 40 17 17.00 SGA SGA 14.17 AGA SGA SGA 16.78 SGA SGA SGA 15.90 SGA SGA AGA 15.70 SGA SGA SGA 15.54 SGA SGA AGA 15.70 SGA SGA SGA 16.15 SGA SGA SGA 15.70 SGA SGA SGA 16.07 SGA SGA SGA 16.42 SGA SGA SGA 14.68 AGA AGA AGA 14.60 AGA SGA SGA 15.86 SGA SGA SGA			16.53	SGA	SGA	
15.33 SGA SGA 40	39	3	16.00	SGA	SGA	
40 17 17.00 SGA SGA 14.17 AGA SGA 16.78 SGA SGA 15.90 SGA SGA 15.70 SGA SGA 13.00 AGA SGA 15.54 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			16.92	SGA	SGA	
14.17 AGA SGA 16.78 SGA SGA 15.90 SGA AGA 15.70 SGA SGA 13.00 AGA SGA 15.54 SGA SGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			15.33	SGA	SGA	
16.78 SGA SGA 15.90 SGA AGA 15.70 SGA SGA 13.00 AGA SGA 15.54 SGA AGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA	40	17	17.00	SGA	SGA	
15.90 SGA AGA 15.70 SGA SGA 13.00 AGA SGA 15.54 SGA AGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			14.17	AGA	SGA	
15.70 SGA SGA 13.00 AGA SGA 15.54 SGA AGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			16.78	SGA	SGA	
13.00 AGA SGA 15.54 SGA AGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			15.90	SGA		AGA
15.54 SGA AGA 15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			15.70	SGA	SGA	
15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			13.00	AGA	SGA	
15.70 SGA SGA 16.15 SGA SGA 15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			15.54	SGA		AGA
15.70 SGA SGA 16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			15.70	SGA	SGA	
16.07 SGA SGA 16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			16.15	SGA	SGA	
16.42 SGA SGA 14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			15.70	SGA	SGA	
14.68 AGA AGA 14.60 AGA SGA 15.86 SGA SGA			16.07	SGA	SGA	
14.60 AGA SGA 15.86 SGA SGA			16.42	SGA	SGA	
15.86 SGA SGA				AGA		AGA
15.86 SGA SGA			14.60	AGA	SGA	
				SGA	SGA	
14.51 AGA SGA			14.51	AGA	SGA	
15.50 SGA SGA			15.50	SGA	SGA	

DISCUSSION

Prenatal diagnosis of IUGR depends upon two factors.

An estimate of gestational age.

An accurate estimate of fetal size.

Unfortunately, the very biometric measurements used to demonstrate abnormal growth are also the once used to determine gestational age.

GA (weeks)	No. of cases	No. of cases with TCD/AC >2SD	No. of true IUGR cases	No. of false +ve	No. of false -ve
32	1	1	1	-	-
33	0	0	0	-	-
34	3	2	3	-	1
35	0	0	0	-	-
36	4	2	2	-	-
37	3	3	3	-	-
38	9	6	6	1	1
39	3	3	3	-	-
40	17	12	14	2	4
Total	40	29	32	3	6

Table 4: Predictability of IUGR by TCD/AC ratio (%).

Table 5: Sensitivity and positive predictive value of TCD/AC ratio for identification of IUGR.

Examination on delivery					
USG	IUGR+VE	IUGR-VE			
IUGR	True	False	All test		
+ve	+ve 26	+ve 3	+ve 29		
IUGR	False	True	All test		
-ve	-ve 06	-ve 5	-ve 11		
	All +ve 32	All –ve 8	40		
Sensitivity=81.25% Positive predictive value (PPV)=89.65%					

Some biometric parameter unaffected by growth abbreviation, providing standard against which dispraise growth could be compared. The cerebellum last to be affects by a decrease in blood flow. Moreover, liver is the most severely affected organ in decrease fetal growth.6

Campbell et al studied 87 patients; the mean TCD/AC ratio was 16.6% for the IUGR cases. Significantly larger than non IUGR cases 14.8% (p<0.05). TCD/AC ratio was mentioned to have a sensitivity of 71%, specificity 77%, PPV 79% and NPV (negative predictive value)) 68%.^{7,8}

Sagwan K studied 40 patients, sensitivity was 84 % and PPV was 100%. The mean value of TCD/AC ratio in study group was 14.92±1.28 and in patient with confirmed SGA babies it was 15.87±0.92 significantly higher than post delivery normal cases.9

Haller H et al studied TCD/AC ratio in 365 cases. A TCD/AC ratio more than 15.5 was present in 85% of SGA infants.¹⁰

William J et al studied 825 low risk obstetric cases and found TCD/AC ratio was gestational age independent between 14and 42 weeks with a mean of 13.68±0.96. A value exceeding 2 SD of mean was significantly associated with SGA infants. 11,12

Tosnsong T and Wanapirak studied \one hundred and sixty-seven pregnancies with suspected IUGR were analyzed. The prevalence of IUGR among the study group was 51.5%. The best cut-off value of the TCD/AC ratio for predicting IUGR was 15.4%, giving the sensitivity, specificity, positive predictive value and negative predictive value of 73.26%, 80.25%, 79.75%, and 73.86%, respectively. 13

In this study the mean value of TCD /AC ratio in control group was 14.22±0.91 and in patient with confirmed SGA on post-delivery examination was >15.87 significantly higher (p <0.001) then in post-delivery normal cases (p <0.001). In this study, out of 32 true IUGR cases were correctly diagnosed by TCD/AC ratio, hence sensitivity was 81.25%, specificity 62.50%, the PPV was 89.65% and NPV was 45.45%. the result in this study are higher than Campbell et al but lower than Sangwan K et al results are comparable to H Haller and William j et al.

ACKNOWLEDGMENTS

Authors would like to give thanks to Department of radiology for their supports in study. Furthermore, Authors would like to give special thanks to Professor and Unit Head Vimala Jain madam for her outstanding support to conduct this study.

Funding: No funding sources Conflict of interest: None declared

Ethical approval: The study was approved by the

Institutional Ethics Committee

REFERENCES

- 1. Arias F: Fetal growth retardation: In practical guide to high risk pregnancy and delivery. 2nd ed. Delhi interprint. 2004: 301-17.
- Golsdstein I, Reece EA, Gianluigi P, Bovicelli L, Hobbins JC. Cerebellar measurement with use in

- evaluation of fetal growth and development. Am J Obstet Gynecol. 1987;156:1065.
- Chavez MR, Ananth CV, Smulian JC, Lashley, Ananath S, Kontopoulos EV et al. Fetal transverse cerebellar diameter normogram in singleton gestations with special emphasis in the in the 3rd trimester: A comparision with previously published normograms. Am Obstet Gynecol. 2003;189:1021-5.
- 4. Chavez MR, Ananth CV, Smulian JC, Vintzileos AM. Fetal transverse cerebellar diameter normogram in singleton gestations with special emphasis in the in the 3rd trimester. Am J Obstet Gynecol. 2004;191:979-84.
- Chavez MR, Ananth CV, Kaminsky LM, Smulian JC, Yeo L, Vintzileos AM. Fetal transverse cerebellar diameter measurement for prediction of grstational age in twins. Am Obstet Gynecol. 2006;195:1956-600.
- 6. American college of obstetrician and gynecologist: Intrauterine growth restriction. Practice bulletin No. 12, Jan 2000.
- Campbell WA, Nandi D, Vintizleos AM, Rodis JF, Turner GW, Egan JFX. Transcerebellar diameter to abdominal circumference ratio throughout pregnancy: A gestational age independent method to asses fetal growth. Obstet Gynecol. 1991;77:893-5.
- 8. Campbell WA, Nandi D, Vintizleos AM, Rodis JF, Turner GW. Use of transverse cerebellar diameter to abdominal circumference ratio to identify growth retardation. S. Obstet Gynecol. 1992;166:327.

- 9. Sangwan K, Sangita G, Puspa D. Evaluation of transverse cerebellar diameter to abdominal circumference ratio in prediction of intrauterine growth retardation. Obstet Gynecol. 1999;4:5.
- 10. Haller H, Petrovic O, Rukavina B. Fetal TCD/AC ratio in assessing fetal size. Int J Gynecol Obstet. 1995;50(2):159-63.
- 11. Meyer WJ, Gauthier D, Ramakrishnan V. Ultrasonografic detection of abnormal fetal growth with the gestational age independent TCD/AC ratio. Am J Obstet Gynecol. 1994;171:1057-63.
- 12. Meyer WJ, Gauthier DW, Goldenberg B, Santolaya J. The fetal TCD/AC ratio: A gestational age independent method of assessing fetal size. J Ultrasound Med. 1993;12(7):379-82.
- 13. Tonsong T, Wanapirak C, Thongpadungrogj T. Sonographic diagnosis of intrauterine growth restriction by fetal transverse cerebellar diameter to abdominal circumference ratio. Int J Gynecol Obstet. 1999;66:1-5.

Cite this article as: Mourya S, Mourya HK, Makwana M, Gahlot H, Verma S, Sharma S. Evaluation of transverse cerebellar diameter to abdominal circumference ratio in prediction of intrauterine growth retardation. Int J Reprod Contracept Obstet Gynecol 2017;6:2466-70.